



Tubo LED



Suspended LED luminaire with subtle design for representative rooms. Possibility of painting in any RAL colour. Electric suspension in set.

Materials: Electrostatically painted aluminium profile (standard colour: anthracite), translucent diffuser

Installation: Suspended

Accessories: Empty modules: 400mm, 800mm, 120mm

Power: 230 V

ELECTRICAL DATA

Light source	LED
LED modules	1x
Number of light sources	1
Type of equipment	AC
Voltage rating	220 ... 240 V
Light source included	Yes
SELV	No

MECHANICAL DATA

Type of installation	Suspended
Housing material	Aluminum
Electrical track connection	No

INFORMATION

Colour	Anthracite
Operating temperature range	-20 ... 40 °C

CERTIFICATES

Degree of protection (IP)	IP20
Class of protection	I
Light source protection	Yes
Energy class	A+
CE	Yes
EAC	Yes

LIGHT DATA

Light colour	White
Color rendering index	80
Light distribution	DI
Class of luminaire	I
Light output degradation	B10
Lumen maintenance	L90
Lifetime	> 60000 h
MacAdam	SDCM 3
Lamp Lumen Maintenance Factor (after 60 000h)	91 %

OPTICAL DATA

Diffuser material	Opal/mat plastic
-------------------	------------------


AVAILABLE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Beam angle [°]	Colour temperature
PX4088801 AZ001.4466.830.A000	15	1420	95	30	3000K
PX4088816 AZ001.4466.840.A000	15	1460	97	30	4000K
PX4088806 AZ002.4466.830.A000	15	1430	95	50	3000K
PX4088821 AZ002.4466.840.A000	15	1470	98	50	4000K

AVAILABE VARIANTS

Product code	Luminaire power [W]	Luminaire luminous flux [lm]	Luminaire's luminous efficacy [lm/W]	Beam angle [°]	Colour temperature
PX4088811 AZ003.4466.830.A000	15	1330	89	70	3000K
PX4088826 AZ003.4466.840.A000	15	1370	91	70	4000K
PX4088831 AZ004.4466.830.A000	21	1960	93	30	3000K
PX4088846 AZ004.4466.840.A000	21	2020	96	30	4000K
PX4088836 AZ005.4466.830.A000	21	1970	94	50	3000K
PX4088851 AZ005.4466.840.A000	21	2030	97	50	4000K
PX4088841 AZ006.4466.830.A000	21	1830	87	70	3000K
PX4088856 AZ006.4466.840.A000	21	1890	90	70	4000K
PX4088861 AZ007.4466.830.A000	29	2550	88	30	3000K
PX4088876 AZ007.4466.840.A000	29	2630	91	30	4000K
PX4088866 AZ008.4466.830.A000	29	2560	88	50	3000K
PX4088881 AZ008.4466.840.A000	29	2640	91	50	4000K
PX4088871 AZ009.4466.830.A000	29	2390	82	70	3000K
PX4088886 AZ009.4466.840.A000	29	2460	85	70	4000K

DIMENSIONS



H [mm]	F [mm]
200	80

H = Height / Depth | F =
Outer diameter

ACCESSORIES

Structural element



Tubo LED empty module
Pieces in set: 1

PX4088911
FL013.44.0400

400 mm

Anthracite

PX4088916
FL013.44.0800

800 mm

Anthracite

PX4088921
FL013.44.1200


1200mm

Anthracite


TUBO LED



TUBO LED + 1200



TUBO LED; +400mm; +800mm; +1200mm



White version - RAL colour on demand



