



STICK

6094619

STICK Bollard H. 550 mm - LED 3000K diffuse

Lighting information

Source power type	LED
Colour temperature	3000K
CRI	>80
MCADAMS	3
LM 80/TM-21	L80B10@>60Kh

Source power	8,50 W
Nominal flux	750 lm

Plug-in power	9,00 W
Real flux	305 lm
Maximum intensity	985 cd/klm
Beam angle	diffuse

Power Supply Unit	230V
Operating frequency	50/60 Hz
Power factor	0,90
Dimmable	Not dimmable
Safety class	II
Wiring	External
Cable section	3 x 0,75 mm ²
Cable length	200 mm;
Cable type	H03VV-F
Connector	IP68 - In line

Protection Rating	IP65
Breaking Strength	IK 06

Energy efficiency class	A/A+/A++
Diffuser type	Polycarbonate
Diffuser thickness	2 mm



Platek®

PLATEK s.r.l.
Via Paderno, 19 | 25050 Rodengo Saiano (BS) ITALY
P.IVA 03320290178 | Codice fiscale 03007130176
Registro delle Imprese di Brescia n. 03007130176 REA 311057
Capitale sociale Euro 1.000.000,00 i.v. Società con unico socio

Last update:04/02/2022



6094619

STICK Bollard H. 550 mm - LED 3000K diffuse


Product features

Precast concrete body. No visible screws. Floor fixing flange with AISI 316 stainless steel completely concealed. As an alternative to the traditional polycarbonate (PC), used with diffusers to seal the lamp polymethylmethacrylate (PMMA) is used, so we obtain characteristics of high transparency, UV resistance and scratch resistance.

Technical dimensions




Lighting information



Plug-in power	9,00 W
Real flux	305 lm
Maximum intensity	985 cd/klm
Beam angle	diffuse

Lighting Simulation



H. 550 mm

simulation made with STICK Paletto H. 550 mm 9,0 W 3000K

Optics:	diffuse
Code:	6094619
Distance between products:	4 m

Technical shipping information

Net weight	6,60 kg
Gross weight	7,30 kg
Packaging width	200,00 mm
Packaging height	160,00 mm
Packaging depth	600,00 mm

Plug-in power	9,00 W
Real flux	305 lm
Maximum intensity	985 cd/klm
Beam angle	diffuse

Platek®

PLATEK s.r.l.
Via Paderno, 19 | 25050 Rodengo Saiano (BS) ITALY
P.IVA 03320290178 | Codice fiscale 03007130176
Registro delle Imprese di Brescia n. 03007130176 REA 311057
Capitale sociale Euro 1.000.000,00 i.v. Società con unico socio

Last update:04/02/2022



STICK

6094619

STICK Bollard H. 550 mm - LED 3000K diffuse

Precise LED selection

All LEDs used by Platek, once assembled by trusted personnel are tested with suitable instruments to check the colour specification required by Platek standards. The choice of using only 3 McAdams colour steps and with a CRI value exceeding 90, provide a high level of light quality that is difficult to find in the world of outdoor lighting. As far as LED products are concerned, Platek has adopted a system of protection against electrostatic discharge along the entire production chain of electronic components to increase the resistance of circuits to power surges.

Platek®

PLATEK s.r.l.
Via Paderno, 19 | 25050 Rodengo Saiano (BS) ITALY
P.IVA 03320290178 | Codice fiscale 03007130176
Registro delle Imprese di Brescia n. 03007130176 REA 311057
Capitale sociale Euro 1.000.000,00 i.v. Società con unico socio

Last update:04/02/2022